2023 Consumer Confidence Report for Public Water System CITY OF CROWELL

This is your water quality report for January 1 to December 31, 2023	r 31, 2023	For more information regarding this report contact:
CITY OF CROWELL provides surface water from Greenbelt MIWA in Donley County	MIWA in Donley County	NameCity of Crowell
		Phone 940-684-1722
		Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono (940)684-1722.
Definitions and Abbreviations		
Definitions and Abbreviations	The following tables contain scientific terms and measures, some of which m	sures, some of which may require explanation.
Action Level:	The concentration of a contaminant which, if exceede	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Avg:	Regulatory compliance with some MCLs are based on running annual average of monthly samples.	running annual average of monthly samples.
Level 1 Assessment:	A Level 1 assessment is a study of the water system to water system.	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment:	A Level 2 assessment is a very detailed study of the water system to identify potential problem and/or why total coliform bacteria have been found in our water system on multiple occasions.	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
Maximum Contaminant Level or MCL:	The highest level of a contaminant that is allowed in d	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
Maximum Contaminant Level Goal or MCLG:	The level of a contaminant in drinking water below wh	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
Maximum residual disinfectant level or MRDL:	The highest level of a disinfectant allowed in drinking contaminants.	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum residual disinfectant level goal or MRDtG:	The level of a drinking water disinfectant below which control microbial contaminants.	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MFL	million fibers per liter (a measure of asbestos)	
mrem:	millirems per year (a measure of radiation absorbed by the body)	by the body)
na:	not applicable.	
NTU	nephelometric turbidity units (a measure of turbidity)	
pCi/L	picocuries per liter (a measure of radioactivity)	

Definitions and Abbreviations

ppb: micrograms per liter or parts per billion

:mdd milligrams per liter or parts per million

ppq parts per quadrillion, or picograms per liter (pg/L)

둳

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

parts per trillion, or nanograms per liter (ng/L)

Information about your Drinking Water

or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land

Hotline at (800) 426-4791. necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not

Contaminants that may be present in source water include

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife
- and gas production, mining, or farming, Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses
- from gas stations, urban storm water runoff, and septic systems. Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities

regulations establish limits for contaminants in bottled water which must provide the same protection for public health In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA

information on taste, odor, or color of drinking water, please contact the system's business office Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more

steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or Hotline (800-426-4791) physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with

Information about Source Water

CITY OF CROWELL purchases water from GREENBELT MIWA. GREENBELT MIWA provides purchase surface water from [insert source name of aquifer, reservoir, and/or river] located in [insert name of County or City]. Copper, Coliforms)] [insert a table containing any contaminant that was detected in the provider's water for this calendar year, unless that contaminant has been separately monitored in your water system (i.e. TTHM, HAAS, Lead and

system contact [insert water system contact][insert phone number]. source based on human activities and natural conditions. The system(s) from which we purchase our water received the assessment report. For more information on source water assessments and protection efforts at our TCEQ completed a Source Water Susceptibility for all drinking water systems that own their sources. This report describes the susceptibility and types of constituents that may come into contact with the drinking water

Coliform Bacteria

0	Maximum Contaminant Level Goal
1 positive monthly sample.	Total Coliform Maximum Contaminant Level
ω	Highest No. of Positive
	Highest No. of Positive Fecal Coliform or E. Coli Total No. of Positive E. Coli Maximum Contaminant Level or Fecal Coliform Samples
0	Total No. of Positive E. Coli or Fecal Coliform Samples
N	Violation
Naturally present in the environment.	Likely Source of Contamination

Lead	Copper	Lead and Copper
2023	2023	Date Sampled
0	1.3	WCTG
15	1.3	Action Level (AL)
1.51	0.194	90th Percentile # Sites Over AL
0	0	#Sites Over AL
ppb	ppm	Units
Z	Z	Violation
Corrosion of household plumbing systems; Erosion of natural deposits.	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing	Likely Source of Contamination

U

Disinfection By-Products	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
Haloacetic Acids (HAAS)	2023	48	16-43.5	No goal for the total	60	ppb	Z	By-product of drinking water disinfection.

^{*}The value in the Highest Level or Average Detected column is the highest average of all HAAS sample results collected at a location over a year

						The state of the s		#The reliant the state of the s
				total				
By-product of drinking water disinfection.	~	ppb	80	No goal for the	38.4 - 116	100	2023	Total Trihalomethanes (TTHM)

The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year

Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.	Z	mdď	10	10	1.88 - 1.88	2	2023	Nitrate [measured as Nitrogen]
Likely Source of Contamination	Violation	Units	MCL	MCLG	Range of Individual	Highest Level Detected	Collection Date	Inorganic Contaminants

Disinfectant Residual

A blank disinfectant residual table has been added to the CCR template, you will need to add data to the fields. Your data can be taken off the Disinfectant Level Quarterly Operating Reports (DLQOR).

Water additive used to control microbes.	ppm	Mg/L	4	4	0.18 mg/L ~ 8.80 mg/L	1.44 mg/L	2023	Chlorine
Violation (Y/N) Source in Drinking Water	Violation (Y/N)	Unit of Measure	MRDLG	MRDL	Range of Levels Detected	Average Level	Year	Disinfectant Residual

Violations

6

Total Trihalomethanes (TTHM)

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer

Violation Type	Violation Begin	Violation End	Violation Explanation
MCL, LRAA	01/01/2023	03/31/2023	Water samples showed that the amount of this contaminant in our drinking water was above its standard (called a maximum contaminant level and abbreviated MCL) for the period indicated.
MCL, LRAA	04/01/2023	06/30/2023	Water samples showed that the amount of this contaminant in our drinking water was above its standard (called a maximum contaminant level and abbreviated MCL) for the period indicated.
MCL, LRAA	07/01/2023	09/30/2023	Water samples showed that the amount of this contaminant in our drinking water was above its standard (called a maximum contaminant level and abbreviated MCL) for the period indicated.

- all the required assessments shall also include the statement in subparagraph (D)(i) of this paragraph. Any public water system that failed to correct all when it has a Level 2 treatment technique as specified under §290.109(c)(2)(B) of this title. Furthermore, any public water system that failed to complete subparagraph (A) of this paragraph, the public water system shall include the elements in subparagraph (B) of this paragraph when it has a Level 1 treatment technique trigger as specified under §290.109(c)(1) of this title and shall include the elements in subparagraph (C) of this paragraph in the report due to an E. coli MCL violation shall include in the report the information in subparagraph (A) of this paragraph. In addition to the elements in identified sanitary defects shall also include the statement in subparagraph (D)(ii) of this paragraph. (9) Any public water system required to comply with the Level 1 or Level 2 assessment requirements under §290.109 and §290.116 of this title that is not
- may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system. We found coliforms identify problems and to correct any problems that were found during these assessments. indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) to (A) Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens
- take 0 corrective actions and we completed 0 of these actions (B) During the past year we were required to conduct 1 Level 1 assessment(s). 1 Level 1 assessment(s) were completed. In addition, we were required to

•

2023 Consumer Confidence Report for Public Water System GREENBELT MIWA

name of aquifer, reservoir, and/or river) located in [insert name of Country of City].	source	This is your water quality report for January 1 to December 31, 2023
806-874-3650		for more information regarding this report contact:

Este reporte induye información importante sobre el agua para tomar. Para asistencia en españot, favor de llamar al telefono (___)_____.

Definitions and Abbreviations

Definitions and Abbreviations	The following tables contain scientific terms and measures, some of which may require explanation.
Action Level:	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Avg:	Regulatory compliance with some MCLs are based on runsing annual average of monthly samples.
Level 1 Assessment:	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment:	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
Maximum Contaminant Level or MCL:	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
Maximum Contaminant Level Goal or MCLG:	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
Maximum residual distrifectant level or MRDL:	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum residual disinfectant level goal or MRDLG:	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MFL	million fibers per liter (a measure of asbestos)
mrem:	millirems per year (a measure of radiation absorbed by the body)
R	not applicable.
NTU	nephelometric turbidity units (a measure of turbidity)
pcyn.	picocuries per liter (a measure of radioactivity)

Definitions and Abbreviations

ğ B ppan Treatment Technique or TT: g A required process intended to reduce the level of a contaminant in drinking water parts per trillion, or nanograms per liter (ng/L) parts per quadrillion, or picograms per liter (pg/L) milligrams per litter or parts per million micrograms per liter or parts per billior

Information about your Drinking Water

or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land from human activity.

necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not Hotline at (800) 426-4791.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife
- and gas production, mining, or farming. Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses
- from gas stations, urban storm water runoff, and septic systems Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities

regulations establish limits for contaminants in bottled water which must provide the same protection for public health. In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For moreonerms, and the concerns are not necessarily causes for health concerns. information on taste, odor, or color of drinking water, please contact the system's business office.

steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your Hotline (800-426-4791). physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or

methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and

Information about Source Water

and previous sample data. Any detections of these contaminants will be found in this Consumer Confidence Report. For more information on source water assessments and protection efforts at our system contact [Insert TCEQ completed an assessment of your source water, and results indicate that some of our sources are susceptible to certain contaminants. The sampling requirements for your water system is based on this susceptibility water system contact[[insert phone number]

2023 Water Quality Test Results

Haloscortic Acids (HAAS) 2023 20 19.5 - 19.5 No goal for the 60 ppb N By-product of drinking water disinfection.

The value in the Highest Level or Average Detected column is the highest average of all HAAS sample results collected at a location over a year

Total Tribulomethanes (TTHM) 2023 33 33-33 No goal for the 80 ppb N By
×
By-product of drinking water disinfection.

[&]quot;The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year

inorganic Contaminants	
Collection Date	
Highest Level Detacted	
Range of Individual Samples	
MCLG	
MCL.	
Units	
Violation	
Likely Source o	
f Contamination	
41	
	on Date Highest Level Range of Individual RECLG RECL Units Violation Likely Source of Contamination

Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.	N	ppm	10	10	157-157	N	2023	Mitrate [measured as Nitrogen]
Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.	2	ppm	4.0	E .	0.945 - 0.945	0.9	2023	Fluoride
Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.	2	ppm	2	2	0.27 - 0.27	0.27	2023	Barturi
Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.	2	ppb	ಕ	0	29-29	ω	2023	Arsenic

Igactive Contaminants Collection Date Highest Level Detected	Range of Individual Samples	WCTG	MCT.	Units	Violation	Likely Source of Contamination
Beta/photon emitters 09/13/2021 7.6	7.6-7.6	0	50	pCVL*	Z	Decay of natural and man-made deposits.

CLV Chicago and the control of the c

Erosion of natural deposits.	z	e de	30	0 0	29-29	2.9	09/13/2021	ranken
Erosion of natural deposits.	Z	pα/ι	v	0	15-15	15	09/13/2021	Combined Radium 226/228

Disinfectant Residual

A blank disinfectant residual table has been added to the CCR template, you will need to add data to the fields. Your data can be taken off the Disinfectant Level Quarterly Operating Reports (DLQOR).

Water additive used to control microbes.	ppm	mg/1	•		1.7-3.2	2.6	2023	Chloramine
Source in Drinking Water	Violation (Y/N)	Unit of Measure	MRDLG	MRDL	Range of Levels Detected	Average Level	Year	Disinfectant Residual

Turbidity

	Level Detected	Unit (Treatment Technique)	Violation	Likely Source of Contamination
Highest single measurement	0.37 NTU	T NTU	N	Soil runoff.
Lowest monthly % meeting limit	99%	OJNTO	N	Soll runoff.

Information Statement: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and

Total Organic Carbon

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set, unless a TOC violation is noted in the violations section.

Violations

Interim Enhanced SWTR

MONITORING, ROUTINE (IESWTR/LT1), MAJOR Violation Type rule builds upon the treatment technique requirements of the Surface Water Treatment Rule, The Interim Enhanced Surface Water Treatment Rule Improves control of microbial contaminants, particularly Cryptosporidium, in systems using surface water, or ground water under the direct influence of surface water. The Violation Begin 05/01/2023 Violation End 05/31/2023 We failed to test our drinking water for the contaminant and period indicated. Because of this failure, we cannot be sure of the quality of our drinking water during the period indicated. Violation Explanation

Surface Water Treatment Rule (SWTR)

The Surface Water Treatment Rule seeks to prevent waterborne diseases caused by viruses, Legionella, and Giardia lambila. The rule requires that water systems filter and disinfect water from surface water sources to reduce the occurrence of unsafe levels of these microbes.

	Violation Type	Violation Bagin	Violation End	Violation Explanation
MONITORING, RTN/RPT MAJOR (SWTR-FILTER) 05/01/2023 05/31/2023 We failed to test our drinking water for the contaminant and period indicated. Because of this failure, we cannot be sun the quality of our drinking water during the period indicated.	MONITORING, RTN/RPT MAJOR (SWTR-FILTER)	05/01/2023	05/31/2023	We failed to test our drinking water for the contaminant and period indicated. Because of this failure, we cannot be sure of the cuality of our drinking water during the period indicated.